

Olney

CATALOGUE

OF PLANTS,

COLLECTED BY THE BOTANICAL DEPARTMENT

OF

PROVIDENCE FRANKLIN SOCIETY,

PRINCIPALLY IN RHODE-ISLAND,

IN 1844.

ARRANGED BY S. T. OLNEY.

PROVIDENCE:
PRINTED BY KNOWLES AND VOSE.
1845.

+OK126

.04

CATALOGUE.

RANUNCULACEÆ.

CLEMATIS.

1 Virginiana, Lin.

ANEMONE.

2 nemorosa, Lin.

3 Virginiana, Lin.

4 Pennsylvanica, L. N. Y.

HEPATICA.

5 triloba, Chaix.

RANUNCULUS.

6 aquatilis, Lin. }

b. *capillaceus*, DC. }

7 Flammula, Lin.

8 Cymbalaria, Pursh.

9 abortivus, Lin.

10 sceleratus, Lin., N. J.

11 Purshii, Richardson.

12 acris, Lin.

13 repens, L.

14 recurvatus, Poir.

15 fascicularis, Muhl.

16 bulbosus, L.

CALTHA.

17 palustris, L.

COPTIS.

18 trifolia, (Salisb.)

AQUILEGIA.

19 Canadensis, L.

ACTÆA.

20 rubra, Big.

20 alba, Big.

CINICIFUGA.

21 racemosa, Ell., Penn.

THALICTRUM.

22 dioicum, L.

23 Cornuti, L.

24 anemonoides, Mx.

MAGNOLIACEÆ.

LIRIODENDRON.

25 Tulipifera, L.

BERBERIDACEÆ.

BERBERIS.

26 vulgaris, L.

LEONTICE.

27 thalictroides, L.

CABOMBACEÆ.

BRASERIA.

28 peltata, Pursh.

NYMPHÆACEÆ.

NYMPHÆA.

29 odorata, Ait.

NUPHAR.

30 lutea, Smith., Mass.

31 advena, Ait.

SARRACENIACEÆ.

SARRACENIA.

32 purpurea, L.

PAPAVERACEÆ.

SANGUINARIA.

33 Canadensis, L.

CHELIDONIUM.

34 majus, L.

FUMARIACEÆ.

DIELYTRA.

35 Cucullaria, DC. N. J.

ADLUMIA.

36 cirrhosa, Raf., N. Y.

CORYDALIS.

37 glauca, Pursh.

CRUCIFERÆ.

NASTURTIUM.

38 palustre, DC. Penn.

ARABIS.

39 Canadensis, L.

CARDAMINE.

40 hirsuta, L.

b. Virginica, L.

SISYMBRIUM.

41 officinale, Scop.

ERYSIMUM.

42 cheiranthoides, L.

SINAPIS.

43 nigra, L.

LEPIDIUM.

44 Virginicum, L.

CAPELLA.

45 Bursa pastoris, Mönch.

CAKILE.

46 maritima, Scop.

RAPHANUS.

47 Raphanistrum, L.

POLYGALACEÆ.

POLYGALA.

48 sanguinea, L.

49 cruciata, L.

50 verticillata, L.

51 ambigua, Nutt.

52 polygama, Walt.

53 paucifolia, Willd.

VIOLACEÆ.

VIOLA.

54 pedata, L.

55 palmata, L.

56 cucullata, Ait.

57 sagittata, Ait.

b. *ovata*, Nutt.

58 blanda, Willd.

59 primulæfolia, L., N. Y.

b. *acuta*, Big.

60 lanceolata, L.

61 Muhlenbergii, Torr.

62 pubescens, Ait.

63 Canadensis, L., N. Y.

DROSERACEÆ.

DROSERÆ.

64 rotundifolia, L.

65 longifolia, L.

PARNASSIA.

66 Caroliniana, Mx.

CISTACEÆ.

HELIANTHEMUM.

67 Canadense, Mx.

LECHEA.

68 major, Mx.

69 minor, Lam.

HUDSONIA.

70 tomentosa, Nutt.

HYPERICACEÆ.

HYPERICUM.

71 perforatum, L.

72 corymbosum, Muhl.

73 mutilum, L.

74 Canadense, L.

75 Sarothra, Mx.

ELODEA.

76 Virginica, Nutt.

ILLECEBRACEÆ.

ANYCHIA.

77 dichotoma, Mx.

SPERGULA.

78 arvensis, L.

78 rubra, A. St. H.

a. *campestris*.

b. *marina*.

CARYOPHYLLACEÆ.

- MOLLUGO.
79 verticillata, L.
SAGINA.
80 procumbens, L.
ARENARIA.
81 Grænlandica, Sp. N. Y.
82 serpyllifolia, L.
83 lateriflora, L.
STELLARIA.
84 media, Smith.
85 longifolia, Muhl.
86 borealis, Big. N. Y.
CERASTIUM.
87 viscosum, L.
SILENE.
88 stellata, Ait., N. J.
89 inflata, Smith, N. J.
90 Antirrhina, L.
91 Pennsylvanica, Michx.
N. J.
SAPONARIA.
92 officinalis, L.
DIANTHUS.
93 Armeria, L.
PORTULACACEÆ.
PORTULACA.
94 oleracea, L.
CLAYTONIA.
95 Virginica, L., N. Y.
ELATINACEÆ.
ELATINE.
96 Americana, (Arn.)
LINACEÆ.
LINUM.
97 rigidum, Pursh.
98 Virginianum, L.
99 usitatissimum, L.
GERANIACEÆ.
GERANIUM.
100 maculatum, L.
101 Carolinianum, L.
102 Robertianum, L.
BALSAMINACEÆ.
IMPATIENS.
103 fulva, Nutt.
OXALIDACEÆ.
OXALIS.
104 Acetosella, L., N. Y.
105 violacea, L., N. J.
106 stricta, L.
ANACARDIACEÆ.
RHUS.
107 typhina, L.
108 glabra, L.
109 Copallina, L.
110 venenata, DC.
111 Toxicodendron, L.
a. *quercifolium*, Mx.

MALVACEÆ.

- MALVA.
112 rotundifolia, L.
ABUTILON.
113 Avicennæ, Gært.
HIBISCUS.
114 Moscheutos, L.
TILIACEÆ.
TILIA.
115 Americana, Lin.
VITACEÆ.
VITIS.
116 Labrusca, L.
AMPELOPSIS.
117 quinquefolia, Mx.
ACERACEÆ.
ACER.
118 Pennsylvanicum, Lin.
N. Y.
119 spicatum, Lam. N. Y.
120 saccharinum, L.
121 rubrum, L.
CELASTRACEÆ.
STAPHYLEA.
122 trifolia, L. N. J.
CELASTRUS.
123 scandens, L.
EUONYMUS.
124 Americanus, L., N. J.
RHAMNACEÆ.
RHAMNUS.
125 catharticus, L.
CEANOTHUS.
126 Americanus, L.
LEGUMINOSÆ.
VICIA.
127 Cracca, L.
128 sativa, L.
LATHYRUS.
129 maritimus, Big.
PHASEOLUS.
130 diversifolius, Pers.
APIOS.
131 tuberosa, Mœnch.
AMPHICARPAEA.
132 monoica, Ell.
ROBINIA.
133 Pseudacacia, L.
TEPHROSIA.
134 Virginiana, Pers.
TRIFOLIUM.
135 arvense, L.
136 pratense, L.
137 repens, L.
138 procumbens, L.
139 agrarium, L.
MEDICAGO.
140 lupulina, L.
DESMODIUM.

- 141 nudiflorum, DC.
142 acuminatum, DC.
143 Canadense, DC.
144 cuspidatum, T. & G.
145 Marilandicum, Boot.
LESPEDEZA.
146 procumbens, Mx.
147 violacea, Pers.
148 hirta, Ell.
149 capitata, Mx.
CROTALLARIA.
150 sagittalis, L.
LUPINUS.
151 perennis, L.
BAPTISIA.
152 tinctoria, (R. Br.)
CERCIS.
153 Canadensis, L., N. J.
CASSIA.
154 marilandica, L.
155 Chamæcrista, L.
156 nictitans, L.
ROSACEÆ.
PRUNUS.
157 maritima, Wang.
CERASUS.
158 Pennsylvanica, Lois.
159 Virginiana, DC.
160 serotina, DC
SPIREA.
161 salicifolia, L.
162 tomentosa, L.
GEUM.
163 Virginianum, L.
164 rivale, L.
AGRIMONIA.
165 Eupatoria, L.
POTENTILLA.
166 Norvegica, L.
167 argentea, L.
168 Canadensis, L.
169 Anserina, L.
170 tridentata, Ait., N. Y.
COMARUM.
171 palustre, L., Mass.
FRAGARIA.
172 Virginiana, Ehrh.
173 vesca, L.
RUBUS.
174 odoratus, L., N. Y.
175 strigosus, Mx.
176 occidentalis, L.
177 villosus, Ait.
178 Canadensis, L.
179 hispidus, L.
ROSA.
180 Carolina, L.
181 lucida, Ehrh.
182 rubiginosa, L.

CRATÆGUS.

183 *crusgalli*, L.

PYRUS.

184 *arbutifolia*, L. f.

AMELANCHIER.

185 *Canadensis*, T. & G.a. *Botryapium*.b. *oblongifolia*.c. *rotundifolia*.

MELASTOMACEÆ.

RHEXIA.

186 *Virginica*, L.

LYTHRACEÆ.

DECODON.

187 *verticillatum*, Ell.a. *pubescens*.b. *laevigatum*.

ONAGRACEÆ.

EPILOBIUM.

188 *angustifolium*, L.189 *coloratum*, Muhl.190 *molle*, Torr.191 *palustre*, L.

CENOTHERA.

192 *biennis*, L.193 *fruticosa*, L., Penn.194 *pumila*, L.

LUDWIGIA.

195 *alternifolia*, L.196 *palustris*, Ell.

CUCURBITACEÆ.

SICYOS.

197 *angulatus*, L.

GROSSULACEÆ.

RIBES.

198 *Cynosbati*, L., N. Y.199 *hirtellum*, Mx.200 *floridum*, L. Her.201 *prostratum*, L. Her. NY.

CACTACEÆ.

OPUNTIA.

202 *vulgaris*, Mill., N. Y.

CRASSULACEÆ.

PENTHORUM.

203 *sedoides*, L.

SAXIFRAGACEÆ.

SAXIFRAGA.

204 *Virginienis*, Mx.205 *Pennsylvanica*, L.

HEUCHERA.

206 *Americana*, L., N. Y.

MITELLA.

207 *diphylla*, L., N. Y.

TIARELLA.

208 *cordifolia*, L., N. Y.

CHRYSOSPLENIUM.

209 *Americanum*, Schw.

HYDRANGEA.

210 *arborescens*, L., Penn.

HAMAMELACEÆ.

HAMAMELIS.

211 *Virginiana*, L.

UMBELLIFERÆ.

HYDROCOTYLE.

212 *Americana*, L.213 *umbellata*, L.

CRANTZIA.

214 *lineata*, Nutt.

SANICULA.

215 *Marilandica*, L.

CICUTA.

216 *maculata*, L.217 *bulbifera*, L.

SIUM.

218 *lineare*, Mx.

CRYPTOTENIA.

219 *Canadensis*, DC.

ZIZIA.

220 *aurea*, Koch.

PASTINACA.

221 *sativa*, L.

HERACLEUM.

222 *lanatum*, Mx.

DAUCUS.

223 *Carota*, L.

OSMORHIZA.

224 *longistylis*, DC.225 *brevistylis*, DC., N. Y.

CONIUM.

226 *maculatum*, L.

ARALIACEÆ.

ARALIA.

227 *racemosa*, L.228 *nudicaulis*, L.229 *hispida*, Mx.

PANAX.

230 *quinquefolium*, L.231 *trifolium*, L.

CORNACEÆ.

CORNUS.

232 *alternifolia*, L. f.233 *circinata*, (L. Her.)234 *stolonifera*, Mx.235 *paniculata*, L. Her.236 *sericea*, L.237 *florida*, L.238 *Canadensis*, L.

CAPRIFOLIACEÆ.

LINNEA.

239 *borealis*, Grono.

LONICERA.

240 *parviflora*, Lam.241 *ciliata*, Muhl., N. Y.242 *sempervirens*, Ait, NY.243 *cærulea*, L.

DIERVILLA.

244 *trifida*, Mönch.

TRIOSTEUM.

245 *perfoliatum*, L.

SAMBUCUS.

246 *pubens*, Mx.247 *Canadensis*, L.

VIBURNUM.

248 *nudum*, L.249 *Lentago*, L.250 *dentatum*, L.251 *pubescens*, Parsh., NY.252 *acerifolium*, L.

RUBIACEÆ.

GALIUM.

253 *Aparine*, L.254 *trifidum*, L.c. *latifolium*, Torr.255 *asprellum*, Mx.256 *triflorum*, Mx.257 *pilosum*, Ait.

CEPHALANTHUS.

258 *occidentalis*, L.

MITCHELLA.

259 *repens*, L.

HEDYOTIS.

260 *cærulea*, Hook.261 *longifolia*, Hook., Mass.

COMPOSITÆ.

VERNONIA.

262 *Noveboracensis*, Willd.

LIATRIS.

263 *scariosa*, Willd.

EUPATORIUM.

264 *purpureum*, L.b. *maculatum*.265 *teucrifolium*, Willd.266 *pubescens*, Muhl.267 *perfoliatum*, L.268 *aromaticum*, L.

MIKANIA.

269 *scandens*, Willd.

SERICOCARPUS.

270 *conyzoides*, Nees.271 *solidagineus*, Nees.

ASTER.

272 *corymbosus*, Ait.273 *spectabilis*, Ait.274 *patens*, Ait.275 *lævis*, L.276 *undulatus*, L.277 *cordifolius*, L.278 *dumosus*, L.279 *puniceus*, L.c. *timineus*.280 *Novæ Angliæ*, L.

ERIGERON.

281 *Canadense*, L.282 *bellidifolium*, Muhl.283 *strigosum*, Muhl.

DIPLOFAPPUS.

284 *linariifolius*, Hook.

SOLIDAGO.

- 285 bicolor, L.
 286 latifolia, L.
 287 cæsia, L.
 288 sempervirens, L.
 289 altissima, L.
 b. villosa, (Herb Banks.)
 290 odora, Ait.
 291 nemoralis, Ait.
 292 serotina, Ait.
 293 tenuifolia, Pursh.
CHRYSOPSIS.
 294 falcata, Ell.
PLUCHEA.
 295 camphorata, DC.
INULA.
 296 Helenium, L.
IVA.
 297 frutescens, L.
AMEROSIA.
 298 artemisiæfolia, L.
XANTHIUM.
 299 echinatum, Murr.
HELIANTHUS.
 300 strumosus, L.
 301 divaricatus, L.
COREOPSIS.
 302 rosea, Nutt.
BIDENS.
 303 frondosa, L.
 304 connata, Muhl.
 305 chrysanthemoides, Mx.
 c. quadristata.
MARUTA.
 306 Cotula, DC.
ACHILLEA.
 307 Millefolium, L.
LEUCANTHEMUM.
 308 vulgare, Lam.
ARTEMISIA.
 309 caudata, Mx.
GNAPHALIUM.
 310 polycephalum, Mx.
 311 uliginosum, L.
 312 purpureum, L.
ANTENNARIA.
 313 margaritacea, (R. Br.)
 314 plantaginifolia, Hook.
ERECTITES.
 315 hieracifolia, Raf.
SENECIO.
 316 vulgaris, L.
 317 aureus, L.
CIRSIIUM.
 318 lanceolatum, Scop.
 319 muticum, Mx.
 320 pumilum, Spreng.
 321 horridulum, Mx.
 322 arvense, Scop.

ONOPORDON.

- 323 acanthium, L.
LAPPA.
 324 major, Gärt.
KRIGIA.
 325 Virginica, Willd.
CICHORIUM.
 326 Intybus, L.
LEONTODON.
 327 autumnale, L.
HIERACIUM.
 328 Canadense, Mx.
 329 scabrum, Mx.
 330 venosum, L.
 331 paniculatum, L.
NABALUS.
 332 albus, Hook.
TARAXACUM.
 333 Dens-leonis, Desf.
LACTUCA.
 334 elongata, Muhl.
 c. sanguinea.

SONCHUS.

- 335 oleraceus, L.
 336 asper, Vill.
LOBELIACEÆ.

LOBELIA.

- 337 Claytoniana, Mx.
 338 inflata, L.
 339 cardinalis, L.
 340 Dortmanna, L.

CAMPANULACEÆ.**CAMPANULA.**

- 341 amplexicaulis, Mx.
 342 aparinoides, Pursh.
 343 rotundifolia, L., N. Y.
ERICACEÆ.

GAULTHERIA.

- 344 procumbens, L.
EPIGÆA.

345 repens, L.**ANDROMEDA.**

- 346 calyculata, L.
 347 polifolia, L., Mass.
 348 ligustrina, Ph.
 349 racemosa, L.

ARCTOSTAPHYLOS.**350 Uva-ursi, —****KALMIA.**

- 351 latifolia, L.
 352 angustifolia, L.

RHODODENDRON.

- 353 nudiflorum, Torr.
 354 viscosum, Torr.

355 maximum, L.**CLETHRA.****356 alnifolia, L.****VACCINIUM.****357 stamineum, L., N. Y.****358 frondosum, L.****359 resinum, Ait.****360 corymbosum, L.****361 disomorphum, Mich.****362 Pennsylvanicum, Lam.****363 tenellum, Willd.****OXYCOCCUS.****364 macrocarpus, Pursh.****365 vulgaris, Pers.****PYROLA.****366 rotundifolia, L.****367 elliptica, Nutt.****368 asarifolia, Mx.****369 secunda, L.****370 umbellata, L.****371 maculata, L.****MONOTROPA.****372 lanuginosa, Mx.****373 uniflora, L.****AQUIFOLIACEÆ.****ILEX.****374 opaca, Ait.****PRINOS.****375 verticillatus, L.****EBENACEÆ.****DIOSPYROS.****376 Virginiana, L.****PRIMULACEÆ.****ANAGALLIS.****377 arvensis, L.****LYSIMACHIA.****378 stricta, Ait.****379 quadrifolia, L.****380 ciliata, L.****381 hybrida, Mx.****382 thyrsiflora, L., Mass.****SAMOLUS.****383 Valerandi, L.****TRIENTALIS.****384 Americana, Pursh.****HOTTONIA.****385 inflata, L.****PLANTAGINACEÆ.****PLANTAGO.****386 major, L.****387 Virginica, L.****388 lanceolata, L.****389 maritima, L.****PLUMBAGINACEÆ.****STATICE.****390 Caroliniana, Walt.****LENTIBULACEÆ.****UTRICULARIA.****391 macrorhiza, Le Conte.****392 cornuta, Mx.****393 inflata, Walt.****394 purpurea, Pers.****395 intermedia, Persoon.****396 ————**

OROBANCHACEÆ.

OROBANCHE.

397 Americana, L.

398 uniflora, L.

EPIPHEGUS.

399 Americanus, Nutt.

SCROPHULARIACEÆ.

VERONICA.

400 serpyllifolia, L.

401 Beccabunga, L., N. Y.

402 arvensis, L.

403 scutellata, L.

GRATIOLA.

404 aurea, Muhl.

VERBASCUM.

405 Lychnitis, Willd., Pen.

406 Thapsus, L.

407 Blattaria, L.

LINDERNIA.

408 dilatata, Muhl.

GERARDIA.

409 tenuifolia, L.

410 purpurea, L.

411 flava, L.

412 glauca, Eddy.

413 pedicularia, L.

414 maritima, Nutt.

MINULUS.

415 ringens, L.

LINARIA.

416 vulgaris, Mönch.

417 Canadensis, Persoon.

CHELONE.

418 glabra, L.

SCROPHULARIA.

419 Marilandica, L.

MELAMPYRUM.

420 Americanum, Mx.

PEDICULARIS.

421 Canadensis, L.

EUCHROMA.

422 coccinea, Nutt.

VERBENACEÆ.

PHRYMA.

423 leptostachya, L., Penn.

VERBENA.

424 hastata, L.

425 urticifolia, L.

LABIATÆ.

MENTHA.

426 viridis, L.

427 piperita, Smith.

428 Canadensis, L.

LYCOPUS.

429 Virginicus, L.

430 sinuatus, Ell.

MONARDA.

431 fistulosa, L., Penn.

PYCNASTHEMUM.

432 incanum, Mx.

433 muticum, Pers.

434 lanceolatum, Pursh.

435 linifolium, Pursh.

ORIGANUM.

436 vulgare, L., N. J.

COLLINSONIA.

437 Canadensis, L.

CUNILA.

438 mariana, L., N. J.

HEDEOMA.

439 pulegioides, Pers.

PRUNELLA.

440 vulgaris, L.

SCUTELLARIA.

441 lateriflora, L.

442 galericulata, L.

LOPHANTHUS.

443 nepetoides, Benth. N. J.

NEPETA.

444 cataria, L.

445 Glechoma, Benth.

LAMIUM.

446 amplexicaule, L.

LEONURUS.

447 cardiaca, L.

STACHYS.

448 aspera, Mx.

TRICHOSTEMA.

449 dichotomum, L.

TEUCRIUM.

450 Canadense, L.

GALEOPSIS.

451 ladanum, L.

BORAGINACEÆ.

MYOSOTIS.

452 palustris, Roth.

453 arvensis, Sibth.

SYMPHYTUM.

454 officinale, L.

CYNOGLOSSUM.

455 officinale, L., N. J.

456 Virginicum, L., N. J.

LYCOPSIS.

457 arvensis, L.

HYDROPHYLLACEÆ.

HYDROPHYLLUM.

458 Virginicum, L., N. J.

CONVOLVULACEÆ.

CONVOLVULUS.

459 sepium, L.

CUSCUTA.

460 Americana, L.

SOLANACEÆ.

DATURA.

461 stramonium, L.

SOLANUM.

462 Dulcamara, L.

463 nigrum, L.

GENTIANACEÆ.

BARTONIA.

463 paniculata, Muhl.

GENTIANA.

464 Saponaria, L.

465 crinita, Frœlich.

MENYANTHES.

466 trifoliata, L.

VILLARSIA.

467 lacunosa, Vent.

APOCYNACEÆ.

APOCYNUM.

468 androsæmifolium, L.

ASCLEPIADACEÆ.

ASCLEPIAS.

469 syriaca, L.

470 purpurascens, L.

471 obtusifolia, Mx.

472 phytolaccoides, Lyon.

473 incarnata, L.

474 quadrifolia, Jacq.

475 verticillata, L.

476 tuberosa, L.

JASMINACEÆ.

LIGUSTRUM.

477 vulgare, L.

OLEACEÆ.

FRAXINUS.

478 Sambucifolia, Willd.

479 acuminata, Lam.

ARISTOLOCHIACEÆ.

ASARUM.

480 Canadense, L., N. Y.

CHENOPODIACEÆ.

CHENOPODIUM.

481 rubrum, L.

482 anthelminticum, L.

ACNIDA.

483 cannabina, L.

SALICORNIA.

484 herbacea, L.

SALSOLA.

485 Caroliniana, Mx.

486 salsa, Mx.

SCLERANTHACEÆ.

SCLERANTHUS.

487 annuus, L.

AMARANTHACEÆ.

AMARANTHUS.

488 hybridus, L.

POLYGONACEÆ.

RUMEX.

489 crispus, L.

490 acetosella, L.

POLYGOSUM.

491 arifolium, L.

492 articulatum, L.

493 aviculare, L.

494 cilinode, Mx., N. Y.

495 amphibium, L.
 496 convolvulus, L.
 497 fagopyrum, L.
 498 mite, Pers.
 499 persicaria, L.
 500 Pennsylvanicum, L.
 501 punctatum, Ell.
 502 sagittatum, L.
 503 scandens, L.
 504 tenue, Mx.
 505 Virginianum, L.
 PHYTOLACCACEÆ.
 PHYTOLACCA.
 506 decandra, L.
 SANTALACEÆ.
 THESIUM.
 507 umbellatum, L.
 NYSSA.
 508 multiflora, Walt.
 ULMACEÆ.
 ULMUS.
 509 Americana, L.
 510 fulva, Mx.
 CELTIS.
 511 occidentalis, L.
 SAURURACEÆ.
 SAURURUS.
 512 cernuus, L., Penn.
 CALLITRICHACEÆ.
 CALLITRICHE.
 513 verna, L.
 PODOSTEMACEÆ.
 PODOSTEMUM.
 514 ceratophyllum, Mx.
 EUPHORBIACEÆ.
 EUPHORBIA.
 515 maculata, L.
 516 polygonifolia, L.
 ACALYPHA.
 517 Virginica, L.
 JUGLANDACEÆ.
 JUGLANS.
 518 cinerea, L.
 CARYA.
 519 alba, Nutt.
 520 microcarpa, Nutt.
 521 tomentosa, Nutt.
 522 porcina, Nutt.
 CUPULIFERÆ.
 QUERCUS.
 523 tinctoria, Bartram.
 524 rubra, L.
 525 Banisterii, Mx.
 526 alba, L.
 527 bicolor, Willd.
 528 montana, Willd.
 529 chinquapin, Mx.
 CASTANEA.
 530 vesca.

var. *Americana*, Mx.
 FAGUS.
 531 ferruginea, Ait.
 CORYLUS.
 532 Americana, Walt.
 533 rostrata, Ait.
 MYRICACEÆ.
 COMPTONIA.
 534 asplenifolia, Ait.
 MYRICA.
 535 Cerifera, L.
 536 Gale, L.
 BETULACEÆ.
 BETULA.
 537 excelsa, Ait.
 538 lenta, Willd.
 539 papyracea, Willd.
 540 populifolia, Ait.
 CARPINUS.
 541 Americana, Mx.
 OSTRYA.
 542 Virginica, Willd.
 ALNUS.
 543 serrulata, Willd.
 544 glutinosa, L.
 SALICACEÆ.
 POPULUS.
 545 candicans, Ait.
 546 grandidentata, Mx.
 547 tremuloides, Mx.
 SALIX.
 548 longirostris, Mx.
 549 discolor, Willd.
 550 vitellina, L.
 551 eriocephala, Mx.
 BALSAMIFLUÆ.
 LIQUIDAMBER.
 552 styraciflua, Willd., NJ.
 PLANTANACEÆ.
 PLANTANUS.
 553 occidentalis, L.
 URTICACEÆ.
 MORUS.
 554 rubra, L., N. J.
 BÆHMERIA.
 555 cylindrica, Willd.
 URTICA.
 556 pumila, L.
 557 dioica, L.
 558 divaricata, — N. Y.
 HUMULUS.
 559 Lupulus, L.
 CANNABIS.
 560 sativa, L.
 CONIFERÆ.
 PINUS.
 561 rigida, L.
 562 strobus, L.
 563 Canadensis, L.

564 alba, Lamb., N. Y.
 565 nigra, Lamb., N. Y.
 CUPRESSUS.
 566 thuyoides, L.
 THUYA.
 567 occidentalis, L., N. Y.
 ARACEÆ.
 SYMPLOCARPUS.
 568 fœtida, Nutt.
 ACORUS.
 569 Calamus, L.
 ARUM.
 570 triphyllum, L.
 RENSSELERIA.
 571 Virginica, Beck.
 CALLA.
 572 palustris, L.
 TYPHACEÆ.
 TYPHA.
 573 latifolia, L.
 574 angustifolia, L.
 SPARGANUM.
 575 ramosum, Sm.
 NAIADACEÆ or FLU-
 VIALES.
 POTAMOGETON.
 576 natans, L.
 577 fluitans, L.
 578 setaceum, Pursh.
 ALISMACEÆ.
 ALISMA.
 579 plantago, L.
 SAGITTARIA.
 580 heterophylla, Pursh.,
 [Penn.]
 581 sagittifolia, L.
 TRIGLOCHIN.
 582 maritimum, L.
 ORCHIDACEÆ.
 GOODYERA.
 583 pubescens, Br.
 584 repens, Brown, N. Y.
 SPIRANTHES.
 585 tortilis, Rich.
 b. *gracilis*, Torr.
 586 cernua, Richd.
 ARETHUSA.
 587 bulbosa, L.
 POGONIA.
 588 ophioglossoides, Br.
 589 verticillata, Nutt.
 CALOPOGON.
 590 pulchellus, Br.
 PLATANThERA.
 591 orbiculata, Lind.
 HABENARIA.
 592 herbiola, Br.
 593 bracteata, Br.
 594 tridentata, Hook.

595 fimbriata, Br.
 596 grandiflora, Torr.
 597 psychodes, Spreng.
 598 lephariglotis, Hook.
 ORCHIS.
 599 spectabilis, L., N. J.
 CORALLORHIZA.
 600 odontorhiza, Nutt.
 LIPARIS.
 601 lilifolia, Richd.
 MICROSTYLIS.
 602 ophioglossoides, N., NY
 CYPRIPIEDUM.
 603 acaule, Ait.
 604 parviflorum, Willd.
 IRIDACEÆ.
 IRIS.
 605 versicolor, L.
 606 prismatica, Pursh.
 SISYRINCHIUM.
 607 anceps, L.
 SMILACEÆ.
 POLYGONATUM.
 608 multiflorum, Desf.
 609 ~~canadense~~, Pursh.
 SMILACINA.
 610 bifolia, Desf.
 611 stellata, Desf.
 612 racemosa, Desf.
 GYROMIA.
 613 Virginica, Nutt.
 TRILLIUM.
 614 pendulum, Muhl.
 615 erectum, L., N. Y.
 616 erythrocarpum, Mx.
 SMILAX.
 617 rotundifolia, L.
 618 herbacea, L.
 STREPTOPUS.
 619 roseus, Mx., N. Y.
 UVULARIA.
 620 perfoliata, L.
 621 sessilifolia, L.
 LILLIACEÆ.
 ERYTHRONIUM.
 622 Americanum, Sm.
 LILIUM.
 623 Philadelphicum, L.
 624 Canadense, L.
 ALLIUM.
 625 Canadense, L.
 DRACENA.
 626 borealis, Ait., Mass.
 ALETIS.
 627 farinosa, L.
 HYPOXIS.
 628 erecta, L.
 PONTEDERIACEÆ.
 PONTEDERIA.

629 cordata, L.
 SCHOLLERA.
 630 graminea, Bart., Penn.
 MELANTHACEÆ.
 VERATRUM.
 631 viride, Ait.
 JUNCACEÆ.
 LUZULA.
 632 campestris, DC.
 ZYRIDACEÆ.
 ZYRIS.
 633 Caroliniana, Walt.
 ERIOCAULONACEÆ.
 ERIOCAULON.
 634 pellucidum, Mx.
 CYPERACEÆ.
 CYPERUS.
 635 filiculmis, Vahl.
 636 diandrus, Torr.
 SCIRPUS.
 637 triqueter, L.
 638 maritimus, L.
 639 lacustris, L.
 ERIOPHORUM.
 640 Virginicum, L.
 641 polystachyum, L.
 642 angustifolium, Richd.
 CAREX.
 643 Pennsylvanica, Lamk.
 GRAMINEÆ.
 PASPALUM.
 644 ciliatifolium, Mx.
 DIGITARIA.
 645 sanguinalis, Scop.
 646 filiformis, Ell.
 PANICUM.
 647 virgatum, L.
 648 capillare, L.
 649 rectum, R. & S.
 650 dichotomum, L.
 651 nitidum, Lamark.
 652 latifolium, L.
 653 clandestinum, L.
 654 agrostoides, Muhl.
 655 crus-galli, L.
 SETARIA.
 656 viridis, Beauv.
 657 glauca, Beauv.
 CINNA.
 658 arundinacea, Willd.
 TRICHODIUM.
 659 scabrum, Muhl.
 AGROSTIS.
 660 vulgaris, With.
 PHLEUM.
 661 pratense, L.
 SPARTINA.
 662 Cynosuroides, Willd.
 663 glabra, Muhl.

664 juncea, Muhl.
 CALAMAGROSTIS.
 665 coarctata, Torr.
 PHALARIS.
 666 arundinacea, L.
 ANTHOXANTHUM.
 667 odoratum, L.
 AIRA.
 668 flexuosa, L.
 DANTHONIA.
 669 spicata, Beauv.
 BROMUS.
 670 pubescens, Torr.
 GLYCERIA.
 671 fluitans, Br.
 POA.
 672 pratensis, L.
 673 compressa, L.
 674 annua, L.
 675 pilosa, L.
 676 Eragrostis, L.
 677 Canadensis, Torr.
 ELYMUS.
 678 Virginica, L.
 679 Canadensis, L.
 TRITICUM.
 680 repens, L.
 b. aristatum.
 ANDROPOGON.
 681 nutans, L.
 682 scoparius, Mx.
 683 furcatus, Mx.
 HOLCUS.
 684 lanatus, L.
 LEERSIA.
 685 oryzoides, Sw.
 ZIZANIA.
 686 aquatica, Lam.
 TRIPSACUM.
 687 dactyloides, L.
 ALOPECURUS.
 688 geniculatus, Muhl.
 MILIUM.
 689 pungens, Torr.
 UNIOLA.
 690 spicata, Willd.
 EQUISETACEÆ.
 EQUISETUM.
 691 hyemale, L.
 692 arvense, L.
 FILICES.
 POLYPODIUM.
 693 vulgare, L.
 ASPIDIUM.
 694 acrostichoides, Willd.
 ASPLENIUM.
 695 Trichomanes, L.
 696 ebenum, Willd.
 ADIANTUM.

697 pedatum, L.	708 commune, L.	721 Schreberi, Willd.
BOTRYCHIUM.	TORTULA.	722 dendroides, L.
698 fumarioides, Willd.	709 tortuosa, Hedw.	723 splendens, Hedw.
699 Virginicum, Sw.	WEISSA.	724 proliferum, L.
LYGODIUM.	710 controversa, Hedw.	725 prælongum, L.
700 palmatum, Sw.	DICRANUM.	726 rutabulum, L.
MUSCI.	711 glaucum, Hedw.	727 polymorphum, Hedw.
SPHAGNUM.	712 scoparium, Hedw.	728 stellatum, Schreb.
701 obtusifolium, Ehrh.	713 heteromallum, Hedw.	729 confertum, Dicks.
702 acutifolium, Ehrh.	714 subulatum, Hedw.	730 cupressiforme, L.
ANICTANGIUM.	FUNARIA.	731 Crista castrensis, L. NY
703 ciliatum, Hedw.	715 hygrometrica, Hedw.	732 molluscum, Hedw.
DYPHYSCIUM.	ORTHOTRICUM.	BRYUM.
704 foliosum, Mohr.	716 cupulatum, Hoffm.	733 argenteum, L.
TETRAPHIS.	717 crispum, Hedw.	HEPATICÆ.
705 pellucida, Hedw.	BUXBAUMIA.	MARCHANTIA.
SPLACHNUM.	718 aphylla, L.	734 polymorpha, L.
706 mnioides, L., N. Y.	BARTRAMIA.	735 conica, L.
POLYTRICHUM.	719 pomiformis, Hedw.	JUNGERMANNIA.
707 undulatum, Hedw.	HYPNUM.	736 ventricosa, Dicks.
	720 denticulatum, L.	737 dilatata, L.

ADDITIONS AND EMENDATIONS.

DESMODIUM.		LAURACEÆ, to follow	506
rotundifolium, DC., to follow	145	LAURUS.	
CIRCÆA.		Benzoin, L.	
Lutetiana, L., "	196	Sassafras, L.	
PROSERPINACA.		CONIFERÆ.	
palustris, L., "	196	JUNIPERUS, "	566
pectinata, L., "	196	communis, L.	
TANACETUM.		Virginiana, L.	
vulgare, L., "	308		
RUMEX.			
Britannica, L., "	490		

NOTE.

THE arrangement of Doct. Gray, in his Botanical Text Book, has been followed in the preceding Catalogue.

It will be observed that the plants gathered in other States are marked with the initials of those States. The mosses were collected in the month of December.

The following gentlemen are members of the Botanical Department of the Providence Franklin Society: S. T. Olney, Chairman; Geo. Hunt, Geo. Thurber, and H. B. Metcalf.

The attention of botanists in this State is solicited to this Catalogue, and contributions of plants not enumerated in it, and found growing without cultivation, would be very acceptable to the Society.

The Society will collect plants of the growth of Rhode-Island, and exchange for others with any botanist who may desire it: or if the labelled duplicates of the Society are wanted, such can now be sent.

Five specimens of each species are desired by the Society, when it is convenient for the collector to gather as many. The labels of plants sent by the Society, show the name of the plant, the name of the collector, the place where collected, and the contributor, when not the collector himself. Correspondents are desired to regard these points, when making their labels.

Communications on the subject of exchanges may be addressed to the Secretary of the Franklin Society, or to either of the Department.

